

Mirrorlite® Overhead Demo Mirror Support Setup Instructions

This document contains step-by-step instructions for setting up one of our Mirrorlite® support systems. Your kit should include:

- Two (2) support stands
- Three (4) crossbar sections
- One (1) carrying case



Refer to Figure 1 for the items:

Step 1: Loosen the wing nut at the top of the support stand legs as shown in



Figure 2.

Step 2: Expand the legs so that the support stand will stand up on its own as depicted in Figure 3





and then tighten the wing nut.

Step 3: Open the flip locks on the light stand joints to allow the Mirrorlite® stand sections to move freely. Raise and lower the sections of the stand to the desired height, and close the flip locks to hold the sections in place. Refer to Figure 4



for a detailed look at these locks.

At this point, the support stand should stand on its own at you desired height, as illustrated in Figure 5.

Repeat steps 1 through 3 for the second support stand.

Step 4: Slide the silver end of a support bar section into the wider end of another support



section as shown in Figure 6.

Step 5: Rotate the support bar sections until the arrows on the white labels line up. Refer to Figure 7 for details.



Figure 7

Repeat step 4 for the other support bar sections until you have a completed bar.

NOTE: If the arrows are not aligned properly during step 5, the background support system will not be stable.

Step 5: Remove the wing nut at the top of both support stands.

Step 6: Place the assembled crossbar onto the tops of the support stands.



Refer to Figure 8 for details.

Step 7: Replace the wing nut at the top of the support stands and tighten until



the crossbar is secure as shown in Figure 9

Your Mirrorlite® support system is now setup and ready for use.